




Washers



Product normal & large diameter

Specifications and International Standards: FORM A BS 4320 : 1968

Specifications and International Standards: FORM C BS 4320 : 1968

Mechanical Properties - Nylon

Dimensions in millimetres (FORM A - normal diameter)

For thread size	M5	M6	M8	M10	M12	M16	M20	M24	M27	M30
d1 min.	5.3	6.4	8.4	10.5	13	17	21	25	28	31
d1 max.	5.5	6.7	8.7	10.9	13.4	17.4	21.5	25.5	28.5	31.6
d2 min.	9.7	12.1	16.6	20.5	23.5	29.5	36.2	43.2	49.2	55
d2 max.	10	12.5	17	21	24	30	37	44	50	60
s min.	0.9	1.4	1.4	1.8	2.3	2.7	2.7	3.7	3.7	3.7
s max.	1.1	1.8	1.8	2.2	2.7	3.3	3.3	4.3	4.3	4.3

Dimensions in millimetres (FORM C - large diameter)

For thread size	M5	M6	M8	M10	M12	M16	M20	M24	M27	M30
d1 min.	5.3	6.4	8.4	10.5	13	17	21	25	28	31
d1 max.	5.5	6.7	8.7	10.9	13.4	17.4	21.5	25.5	28.5	31.6
d2 min.	12.1	13.6	20.5	23.5	27.5	33.2	38.2	49.2	55	59
d2 max.	12.5	14	21	24	28	34	39	50	56	60
s min.	0.9	1.4	1.4	1.8	2.3	2.7	2.7	3.7	3.7	3.7
s max.	1.1	1.8	1.8	2.2	2.7	3.3	3.3	4.3	4.3	4.3

example: FORM A M10

Order designation: N4320A + article no. (example: N4320A-10)

example:	For thread size	article no.
FORM A	M10	10

example: FORM C M12

Order designation: N4320C + article no. (example: N4320C-12)

example:	For thread size	article no.
FORM C	M12	12